

NEON



*Dedicated to
providing*

Quality Healthcare Medicine

MaxiCare

«*Powered by Quality...Driven by Values*»

PAN INDIA



CONTENT

Injections

Liquids

Dry Syrup

Capsules

Ointments

Tablets

Surgicals

Misc.

Injections



Amibiotic 500mg

Amikacin Sulphate 500mg / 2ml Vial



Indications & Uses

Used for bacterial infections, pneumonia & UTI

Bacticef 1.5gm

Cefuroxime 1.5 gm



Indications & Uses

Used in treatment of pneumonia, chronic bronchitis & soft tissue infections

Dex

Dexamethasone 4 mg / 2ml



Indications & Uses

Used in treatment of various conditions severe allergic reactions, arthritis, eye disease, etc.

Magcil CV 1.2gm

Amoxycillin & Potassium Clavulanate 1.2 gm



Indications & Uses

Used to treat Internal abdominal infections, genital infections, etc.

Mycin

Gentamicin Sulphate Inj. 80 mg / 2 ml



Indications & Uses

XXXXXXXXXXXX

Riddof

Pentazocin lactate 30 mg / ml



Indications & Uses

Used to relieve moderate to severe pain.

Efectal 1gm

Ceftriaxone 1 gm



Indications & Uses

Lower Resistance development, Broad spectrum third generation cephalosporin, Safe Even in children

Efectal 500gm

Ceftriaxone 500 mg



Indications & Uses

Lower Resistance development, Broad spectrum third generation cephalosporin, Safe Even in children

Efectal 250mg

Ceftriaxone 250 mg



Indications & Uses

Lower Resistance development, Broad spectrum third generation cephalosporin, Safe Even in children

Evacef 1gm

Cefotaxime Sodium 1 gm



Indications & Uses

Used to treat infections related to lungs, UT, Bones, etc.

Evacef 500mg

Cefotaxime Sodium 500 mg



Indications & Uses

Used to treat infections related to lungs, UT, Bones, etc.

Tyde S

Chloramphenicol Sodium Suc. Inj 1 gm



Indications & Uses

Used for treatment of conjunctivitis, meningitis, plague, cholera

Unicort 100mg

Hydrocortisone Sod. Suc. Inj 100 mg



Indications & Uses

Severe allergic reaction, Skin Diseases,
Intestinal Disorders, Arthritis

Liquids



Entac Syrup

Ranitidine 75 mg/5 ml Syrup



Indications & Uses

To treat stomach or intestinal ulcers

Povid 5% 100ml

Povidone Iodine 5% w/v



Indications & Uses

Wounds, Antiseptic

Povid 5% 500ml

Povidone Iodine 5% w/v



Indications & Uses

Wounds, Antiseptic

Povid 10% 100ml

Povidone Iodine 10% w/v



Indications & Uses

Wounds, Antiseptic

Povid 10% 500ml

Povidone Iodine 10% w/v



Indications & Uses

Wounds, Antiseptic

Povid 7.5% 100ml

Povidone Iodine 7.5% w/v Scrub



Indications & Uses

Wounds, Antiseptic

Povid 7.5% 500ml

Povidone Iodine 7.5% w/v Scrub



Indications & Uses

Wounds, Antiseptic

Povid 5% 2000ml

Povidone Iodine 5% w/v



Indications & Uses

Wounds, Antiseptic

Povid 10% 2000ml

Povidone Iodine 10%



Indications & Uses

Wounds, Antiseptic

Povid 5% 5000ml

Povidone Iodine Solution 5%



Indications & Uses

Wounds, Antiseptic

Povid 7.5% 2000ml

Povidone Iodine 7.5%



Indications & Uses

Wounds, Antiseptic



Dry Syrup



Magcil CV Dry Syrup 30ml

Amoxicillin 200mg + Potassium Clavulanate 28.5 mg / 5 ml with WFI



Indications & Uses

Bronchitis, Sore Throat, Tonsillitis, ENT

Necee Dry Syrup 50mg/5ml

Cefixime Dry syrup 50mg / 5 ml with WFI




Indications & Uses

Tonsillitis, STDs, RTIs, Otitis Media

Necee DS 100mg/5ml

Cefixime Dry Syrup 100 mg / 5 ml with Water



Indications & Uses

Tonsillitis, STDs, RTIs, Otitis Media

Nodome 50mg/5ml

Cefpodoxime Proxetil 50 mg / 5ml with WFI



Indications & Uses

CAP, Chronic Bronchitis, Acute otitis media, Acute Anorectal Infections

Nodome Dry Syrup 100mg/5ml

Cefpodoxime Proxetil 100 mg / 5ml with WFI



Indications & Uses

CAP, Chronic Bronchitis, Acute otitis media, Acute Anorectal Infections

Capsules



Tizef 100

Itraconazole 100 mg



Indications & Uses

Vaginal fungal infections, vaginal Candidiasis,
Fungal nail infection

Tizef 200

Itraconazole 200 mg



Indications & Uses

Vaginal fungal infections, vaginal Candidiasis,
Fungal nail infection

Entazel D

Rabeprazole Sodium 20 mg + Domperidone 30 mg SR



Indications & Uses

Gastroesophageal reflux disease (acid reflux)
& Peptic ulcer disease

Entazel DSR

Rabeprazole Sodium 20 mg + Domperidone 30 mg SR



Indications & Uses

Gastroesophageal reflux disease (acid reflux)
& Peptic ulcer disease



Ointments



Climycin A

Clindamycin 1% + Adapalene 0.1%



Indications & Uses

Used in treatment of Acne & Pimples

Clobiprop NM

Clobetasol Propeonate 0.05% w/w +
Neomycin Sulphate eq. to Neomycin 0.1% w/w +
Miconazole 2% w/w



Indications & Uses

Inflammation Red, swollen, Itchy & painful,
Skin problem, fungal infections

Lugel 10

Luliconazole Cream 1%



Indications & Uses

Vaginal fungal infections, vaginal Candidiasis,
Fungal nail infection

Lugel 20

Luliconazole Cream 1%



Indications & Uses

Vaginal fungal infections, vaginal Candidiasis,
Fungal nail infection

Lugel 30

Luliconazole Cream 1%



Indications & Uses

Vaginal fungal infections, vaginal Candidiasis,
Fungal nail infection

Mis Glow

Hydroquinone 2% + Tretinoin 0.025% +
Mometasone Furoate 0.1% Cream



Indications & Uses

Fairness cream

Mupineon 2% 10gm

Mupirocin 2% Ointment



Indications & Uses

Vaginal fungal infections, vaginal Candidiasis,
Fungal nail infection

Neoquad

Beclomethasone + Clotrimazole + Neomycin



Indications & Uses

Vaginal fungal infections, vaginal Candidiasis,
Fungal nail infection

Ofinac Plus Red 30gm

Diclofenac Diethylamine 1.16% eq to Diclofenac Sodium 1% +
Linseed Oil 3% + Menthol 5% + Methyl Salicylate 10% +
Capsaicin 0.025%



Indications & Uses

Back pain, knee pain, Joint & Muscle pain,
Arthritis pain, Reduces Inflammatory

Ofinac Plus 10gm

Diclofenac Diethylamine 1.16% eq to Diclofenac Sodium 1% +
Linseed Oil 3% + Menthol 0.5% +
Methyl Salicylate 10%



Indications & Uses

Back pain, knee pain, Joint & Muscle pain,
Arthritis pain, Reduces Inflammatory

Ofinac Plus 30gm

Diclofenac Diethylamine 1.16% eq to Diclofenac Sodium 1% +
Linseed Oil 3% + Menthol 0.5% + Methyl Salicylate 10%



Indications & Uses

Back pain, knee pain, Joint & Muscle pain,
Arthritis pain, Reduces Inflammatory

Ofinac Plus Nano Gel 30gm

Diclofenac Sodium 10 mg +
Methyl Salicylate 150 mg + Menthol 50 mg



Indications & Uses

Back pain, knee pain, Joint & Muscle pain,
Arthritis pain, Reduces Inflammatory

Povid 5% 10gm

Povidone Iodine Ointment 5%



Indications & Uses

Prevention of wound infection & used as a first aid for cuts, burns & grazes

Povid 5% 20gm

Povidone Iodine Ointment 5%




Indications & Uses

Prevention of wound infection & used as a first aid for cuts, burns & grazes

Povid 5% 30gm

Povidone Iodine 5% w/w



Indications & Uses

Prevention of wound infection & used as a first aid for cuts, burns & grazes

Povid 5% 125gm

Povidone Iodine 5% w/w



Indications & Uses

Prevention of wound infection & used as a first aid for cuts, burns & grazes

Povid 5% 250gm

Povidone Iodine 5% w/w (Scrub)



Indications & Uses

Prevention of wound infection & used as a first aid for cuts, burns & grazes

Povid OZ 5%

Povidone Iodine 5% + Ornidazole 1%



Indications & Uses

Prevention of wound infection & used as a first aid for cuts, burns & grazes



Tablets



Aceclomol SP

Aceclofenac 100 mg + Paracetamol 325 mg +
Serratiopeptidase 10 mg



Indications & Uses

Treatment of Rheumatoid & Osteoarthritis,
Painful Inflammatory Conditions

Aceclomol (Alu Alu)

Aceclofenac 100 mg + Paracetamol 325 mg



Indications & Uses

Treatment of Rheumatoid & Osteoarthritis,
Painful Inflammatory Conditions

Aceclomol MR

Aceclofenac 100mg + Paracetamol 325 mg +
Chlorzaxone 250 mg



Indications & Uses

Treatment of Rheumatoid & Osteoarthritis,
Painful Inflammatory Conditions

Aceclomol P

Aceclofenac 100 mg + Paracetamol 325 mg



Indications & Uses

Treatment of Rheumatoid & Osteoarthritis,
Painful Inflammatory Conditions

Altro 250mg

Azithromycin 250 mg



Indications & Uses

Bronchitis, chamydia, RTI, acute otitis media,
Impetigo, STD, Ear infection, Skin Infection

Altro 500mg

Azithromycin 500 mg



Indications & Uses

Bronchitis, chamydia, RTI, acute otitis media,
Impetigo, STD, Ear infection, Skin Infection

Bacticef CV

Cefuroxime 500 mg + Clavunic Acid 125 mg



Indications & Uses

XXXXXXXXXX

Bacticef 250mg

Cefuroxime 250 mg



Indications & Uses

Used to treat infections with susceptible bacteria including skin and middle ear infections, tonsillitis, throat infections, laryngitis, bronchitis, pneumonia, urinary tract

Bacticef 500mg

Cefuroxime 500 mg



Indications & Uses

Used to treat infections with susceptible bacteria including skin and middle ear infections, tonsillitis, throat infections, laryngitis, bronchitis, pneumonia, urinary tract

Cizcast - LM

Levocetirizine HCl 5 mg + Montelukast 10 mg



Indications & Uses

used to relieve allergy symptoms such as watery eyes, runny nose, itching eyes/nose and sneezing. It is also used to relieve itching and hives

Irose XT

Ferrous Ascorbate eq. to elemental Iron 100 mg + Folic Acid 1.5 mg



Indications & Uses

Helps in treating iron deficiency, anaemia & Useful in pregnensy

Levoneon 250

Levofloxacin 250 mg



Indications & Uses

Acute Bacterial Sinusitis, Typhoid Fever, Uncomplicated SSSI

Levoneon 500

Levofloxacin 500 mg



Indications & Uses

Acute Bacterial Sinusitis, Typhoid Fever, Uncomplicated SSSI

Magcil CV

Amoxycillin 500 mg +
Pottassium Clavulanate 125 mg Tab.



Indications & Uses

Bronchitis, Sinusitis, Otitis Media, LRTI

Magcil CV 625

Amoxicilin 500 mg +
Potassium Clavulanate 125 mg



Indications & Uses

Bronchitis, Sinusitis, Otitis Media, LRTI

Necee 100mg

Cefixime 100 mg



Indications & Uses

Tonsillitis, STDs, RTIs, Otitis Media

Necee 200mg

Cefixime 200 mg



Indications & Uses

Tonsillitis, STDs, RTIs, Otitis Media

Necee O

Cefixime 200mg + Ofloxacin 200 mg



Indications & Uses

Surgical Prophylaxis, Soft tissue infections, Nosocomial infections, Intra abdominal infections

Neon Mol 500

Paracetamol 500 mg



Indications & Uses

Fever

Neon Mol 650

Paracetamol 650 mg



Indications & Uses

Fever

NEOMIT MD-4

Ondansetron MD 4 mg



Indications & Uses

Vomiting

NEOMIT MD-8

Ondansetron MD 8 mg



Indications & Uses

Vomiting

Nodome 100mg

Cefpodoxime Proxetil 100 mg



Indications & Uses

CAP, Chronic Bronchitis, Acute otitis media,
Acute Anorectal Infections

Nodome 200mg

Cefpodoxime Proxetil 200 mg



Indications & Uses

CAP, Chronic Bronchitis, Acute otitis media,
Acute Anorectal Infections

Nodome CV

Cefpodoxime Proxetil 200 mg +
Potassium Clavulanate 125 mg



Indications & Uses

CAP, Chronic Bronchitis, Acute otitis media,
Acute Anorectal Infections

Surgical



Cardio Gel 250gm

ECG & Ultrasound Jelly 250 gm



Cardio Gel 5kg

ECG & Ultrasound Jelly 5 kg



Kid Klamp

Umbilical Cord Clamp



NEON INFUSION SET

Neon Infusion Set




Neoporous 1/2 Inch

Microporous Tape 1/2 Inch



Neoporous 1 Inch

Microporous Tape 1 Inch



Neoporous 2 Inch

Microporous Tape 2 Inch




Neoporous 3 Inch

Microporous Tape 3 Inch



Neoporous 5 Meter

Microporous Tape 1 Inch (5 meters)



U.C.B with Hanger

Urine Collection Bag with Hanger



Misc.



Ofinac Spray 60gm

Diclofenac Diethylamine 1.16% 1+ Linseed Oil 3% +
Menthol 0.5% +Methyl Salicylate 10 %



Povid Dusting Powder 10gm

Povidone Iodine 5% Dusting Powder



Thank
you

For further information contact:

NEON
LABORATORIES LIMITED

28, Mahal Ind. Est., M. Caves Road, Andheri (East), Mumbai - 400093.

Tel. 91-22- 6830 7000 Website: www.neongroup.com Email: info@neongroup.com